

## DAFTAR PUSTAKA

- Access, O., Versus, N., Gliding, N., Original, E., Pak, A., Forces, A., Amjad, I. (2018). A Comparision Of The Effectiveness Of Neurodynamics Versus Nerve And Tendon Gliding Exercises Alone For Carpal Tunnel Syndrome, 68(4).
- Ayu, G., Juniari, R., & Triwahyudi, A. (2015). Hubungan Antara Masa Kerja Terhadap Keluhan Carpal Tunnel Syndrome ( CTS ) Pada Pegawai Perempuan Di Kampus Universitas Dhyana Pura Yang Bekerja Menggunakan Komputer, (2), 162–168.
- Baharudin, M. (2011). Carpal Tunnel Syndrome, 7 (14).
- En, S., Mbbs, S., Gunasagar, J., Ortho, M. S., Frcp, K. G., Sara, T., & Mbbs, A. (2018). Short-term clinical outcome of orthosis alone vs combination of orthosis, nerve, and tendon gliding exercises and ultrasound therapy for treatment of carpal tunnel syndrome. *Journal of Hand Therapy*, 3–7. <https://doi.org/10.1016/j.jht.2018.01.004>.
- Journal, L. S., & Atya, A. M. (2011). 1 Departemen Dasar Ilmu, Fakultas Terapi Fisik, Universitas Kairo, Kairo, Mesir Departemen Terapi Fisik untuk Gangguan neuromuskular dan Bedah nya, Fakultas Terapi Fisik, Kairo Pengelolaan CTS didasarkan pada menghilangkan tekanan dari saraf median, 8(2), 413–420.
- Kesehatan Masyarakat, J., Purwandari Mulyawati Agustin, C., Ilmu Kesehatan Masyarakat, J., Ilmu Keolahragaan, F., & Negeri Semarang, U. (2012). Masa Kerja, Sikap Kerja Dan Kejadian Sindrom Karpal Pada Pembatik. *Kemas*, 7(2), 170–176. <https://doi.org/10.15294/kemas.v7i2.2814>.
- Kim, S.-D. (2015). Efficacy of tendon and nerve gliding exercises for carpal tunnel syndrome: a systematic review of randomized controlled trials. *Journal of Physical Therapy Science*, 27(8), 2645–2648. <https://doi.org/10.1589/jpts.27.2645>.
- Madenci, E., Altindag, O., Koca, I., Yilmaz, M., & Gur, A. (2012). Reliability and efficacy of the new massage technique on the treatment in the patients with carpal tunnel syndrome. *Rheumatology International*, 32(10), 3171–3179. <https://doi.org/10.1007/s00296-011-2149-7>.
- Medina, J. M., & Yancosek, K. E. (2008). Teknik Meluncur saraf untuk Pengobatan Carpal Tunnel Syndrome : A Systematic Review, 324–341.

- Nedomová, B., Budáčová, J., Frištáková, M., & Šagát, T. (2016). Arthrogryposis multiplex congenita z pohľadu anestéziológa. *Lekarsky Obzor*, 65(12), 354–359. <https://doi.org/10.1002/jor>.
- Oskouei, A. E. (2014). Effects of Neuromobilization Maneuver on Clinical and Electrophysiological Measures of Patients with Carpal Tunnel Syndrome, 26.
- Salawati, L. (2014). Carpal Tunel Syndrome. *Jurnal Kedokteran Syiah Kuala*, 14(1), 29–30. <https://doi.org/10.1177/096973309700400204>.
- Utomo, B., & Wahyono, Y. (2017). Perbedaan Pengaruh Antara Mobilisasi Saraf Dan Myofacial Release Terhadap Penurunan Nyeri Pada Pasien Carpal Tunnel Syndrome. *Kementerian Kesehatan Politeknik Kesehatan Surakarta Jurusan Fisioterapi*, 201–207.
- van Doesburg, M. H. M., Henderson, J., Mink van der Molen, A. B., An, K. N., & Amadio, P. C. (2012). Transverse plane tendon and median nerve motion in the carpal tunnel: Ultrasound comparison of carpal tunnel syndrome patients and healthy volunteers. *PLoS ONE*, 7(5), 1–6. <https://doi.org/10.1371/journal.pone.0037081>.
- Wipperman, J., & Goerl, K. (2016). Diagnosis and Management of Carpal Tunnel Syndrome. *American Family Physician*, 94(12), 993–999. Retrieved from [www.aafp.org/afp](http://www.aafp.org/afp).